

Sub : RFQ for Civil Construction and Interior Decoration works of an Off-site ATM Booth located at factory gate of Dutch Bangla Pack Limited, Boro Baluakandi, B.K.Raypara, Gazaria, Munshiganj.

Dear Sir,

Reference may please be made on the above mentioned subject.

We would like to inform you that we are inviting tender for Civil Construction and Interior Decoration works of an Off-site ATM Booth located at factory gate of Dutch Bangla Pack Limited.

You may participate in the tender procedure by submitting Financial Proposal in sealed envelope for the captioned work. If you are interested, you may visit to above mentioned places for verification/data collection.

Eligibility and other conditions:

1. Interested bidders may collect tender document for the said work on submission of a request letter addressing the undersigned as well as documentary evidence of the followings:
 - i) Should have minimum experience of 03 (Three) years in Civil Construction and Interior Decoration work of any Bank's Branch or Head Office.
 - ii) Must have experience of executing work of Tk.15.00 Lac or above in a single tender.
 - iii) Should have valid Registration, Ownership document, VAT & TIN certificate, up-to-date Trade License and Bank Solvency Certificate.
2. As per attached Bill of Quantity (BOQ), the quotation of all items has to be submitted to us, which will be inclusive of material cost, wastage, cost for labor, carrying cost, income tax & VAT etc.
3. The interested bidders shall have to attend a pre-bid meeting at the office of the undersigned at 3:00 pm on 05.01.2020.
4. The financial offer along with design/drawing for the Captioned Work is to be submitted to Facility Management Division, Prime Bank Limited, Head Office, 29, Rajuk Avenue (2nd floor), Dhaka-1000 by 3.00 p.m on 07.01.2020 and may be opened at 3.30 pm on the same day in presence of bidders (if any).
5. Submission of tender after the specified time shall not be acceptable under any circumstances.



Cont'd page-02




Please note that awarding of the job shall be subjected to the approval of the competent authority as per rules and procedure of our Bank without any binding on our part.

The Bank reserves the right to reject any or all of the proposals without assigning any reason whatsoever, or waive any irregularity in the proposal and the Bank will not be bound to accept either the lowest financial proposal or any other proposal.

Thanking you.



Md. Delwar Hoosain Saidy
Officer (Civil Engr.)



Md. Mahfuzur Rahman
Assistant Vice President

SUMMARY OF QUOTED AMOUNT			
PARTICULAR		AMOUNT (BDT)	
A	CIVIL WORK	Tk.	
A1	TILES WORK	Tk.	
B	PARTITION & PANELLIN WORK	Tk.	
C	CEILING WORK	Tk.	
D	ELECTRICAL WORK	Tk.	
E	MISCELLANEOUS	Tk.	
TOTAL		Tk.	

IN WORD :



Quotation for Civil Construction and Interior Decoration works of an Off-site ATM Booth located at factory gate of Dutch Bangla Pack Limited, Boro Baluakandi, B.K.Raypara, Gazaria, Munshiganj.

Sl.	Description	Unit	Quantity	Rate (in Tk.)	Amount (in Tk.)
A. Civil Work					
1	Soil excavation	sft	400		
2	Sand Filling	sft	450		
3	Brick solling	sft	220		
4	CC Casting	cft	18		
5	Damp Proofing	cft	250		
6	5" Brick wall	sft	250		
7	Plaster work	sft	700		
8	RCC Work (Base, Cloumn, Beam and roof)	cft	330		
9	Shuttering (Base,Column, G.B, F.B.and Slab)	sft	310		
Sub Total					
A1. Tiles Works					
1	Pavement Tiles	sft	100		
2	24"x24" Homogenous Mirror Polish tiles	sft	270		
Sub Total					
B. Partition & Panelling Work					
1	GLASS PARTITION (with U-Channel) FIXED Supply, fitting & fixing fixed glass partition made of 10 mm thick clear 'Nasir' glass fixed with protector bit & others accessories. all complete as per direction and full satisfaction of the Engineer in charge	sft	200		
2	User Guide Line Notice Board	Job	1		
3	Mid Partition	sft	65		
4	Glass partition between two ATMs (Same as Motijheel Branch ATM Booth)	pcs	1		
Sub Total					
C. Ceiling Work					
1	MINERAL BOARD CEILING Supply, fitting and fixing of Mineral board false ceiling of approved quality in working area over powder coated T-bar of section 1" X 1.5" and L-angle of section 1" X 1" at edges, at 2'-0" X 2'-0" grid suspended ceiling by rowel plug, iron angles, 12 SWG G.I. wire, screws, hooks, nails etc. maintaining straight lines and desired finished level at bottom face with vertical or beams by electric drill machine and mending damage if any during the materials, accessories, scaffolding, labour for installation etc. all complete as per design, direction and full satisfaction of the Engineer in charge.	sft	100		
2	Rastic Tiles	sft	120		

